SINODRILLS®
GUIZHOU SINODRILLS EQUIPMENT CO.,LTD.

shank adapter

Atlas Copco	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Atlas copco 125/130/131					
	R32	415	38.3	2.7	Cop125R32415383
	T38	380	38.3	3.0	Cop130T38380383
	T45	380	38.3	3.0	Cop131T45380383
Atlas copco BBE57					
	T38	447	45	5.9	CopBBE57T38447450
Atlas copco BBE57					
	R38	447	45	5.0	CopBBE57R38447450
	T38	540	45	5.3	CopBBE57T38540450
	T45	550	45	5.9	CopBBE57T45550450
Atlas copco1036/1038/1238					
	Drifting				
	R32	485	38	4.0	Cop1036R32485380
	SR35	485	38	4.1	Cop1036SR35485380
	R38	485	38	4.2	Cop1036R38485380
	T38	485	38	4.2	Cop1036T38485380
	Bench drilling				
	R32	500	38	4.0	Cop1038R32500380
	T38	500	38	4.4	Cop1038T38500380
	T45	500	45	5.0	Cop1038R32500450
	Bench drilling，long hole drilling				
	R32	575	38	4.6	Cop1238R32575380
	R38	575	38	4.7	Cop1238R38575380
	T38	575	38	4.9	Cop1238T38575380
	T45	575	45	5.8	Cop1238T45575380
	R32	575	45	5.2	Cop1238R32575380
	TC35	575	45	5.4	Cop1238TC35575380
	R38	575	45	5.4	Cop1238R38575380
	T38	575	45	5.4	Cop1238T38575380

SINODRILLS®
GUIZHOU SINODRILLS EQUIPMENT CO.,LTD.

shank adapter

Atlas Copco	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Atlas copco 2160 Extractor 	T45	770	63	13.2	Cop2160ET45770630
	T51	770	63	13.3	Cop2160ET51770630
Atlas copco 1440/1550/1638/1838/2238 	Bench drilling				
	R32	525	52	5.7	Cop1440R32525520
	TC35	525	52	5.8	Cop1440TC35525520
	T38	525	52	5.9	Cop1440T38525520
	T45	525	52	6.1	Cop1440T45525520
	T51	525	52	6.5	Cop1440T51525520
	Drifting				
	R32	435	38	3.6	Cop1550R32435380
	R38	435	38	3.9	Cop1550R38435380
	T38	435	38	3.8	Cop1550T38435380
	long hole drilling				
	R32	525	38	4.2	Cop1838R32525380
	R38	525	38	4.3	Cop1838R38525380
	T38	525	38	4.3	Cop1838T38525380
	SR38	525	38	4.7	Cop1838SR38525380
Atlas copco 1850 	T51	565	52	7.2	Cop1238T51565520
Sandvik Tamrock	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Sandvik/Tamrock 438/538 	Bench drilling,Drifting				
	R32	430	38	3.0	Tam438R32430380
	Bolting，drifting				
	T38	380	38	3.0	Tam438T38380380
	Bench drilling,Drifting				
	T38	495	38	4.2	Tam438T38495380
Sandvik/Tamrock HL300 	Bench drilling				
	R32	400	32	2.6	TamHL300R32400320

SINODRILLS®
GUIZHOU SINODRILLS EQUIPMENT CO.,LTD.

shank adapter

Sandvik/Tamrock HL300S 	Bench drilling				
	R32	245	45	2.6	TamHL300SR32245450
Sandvik/Tamrock HL600,HL600S 	Bench drilling,Drifting				
	R32	600	45	6.0	TamHL600R32600450
	T38	600	45	6.0	TamHL600T38600450
	T45	600	45	6.4	TamHL600T45600450
	Drifting,Production drilling				
	T38	525	45	5.6	TamHL600T38525450
	T45	525	45	5.8	TamHL600T45525450
Sandvik/Tamrock HL700,HL800	Bench drilling				
	T45	600	45	7.2	TamHL700T45600450
	T38	600	52	8.0	TamHL700T38600520
	T45	600	52	8.5	TamHL700T45600520
	T51	600	52	8.5	TamHL700T51600520
Sandvik/Tamrock HL1500	Bench drilling				
	T60	760	60	14.3	TamHL1500T60760600
Sandvik/Tamrock HL500,HL500S,HL550S,560S 	Bench drilling				
	R32	460	38	4.3	TamHL500R32460380
	R38	500	38	3.7	TamHL500T38500380
	T38	550	45	5.3	TamHL500T38550450
	T38	550	38	4.6	TamHL500T38550380
	T45	550	45	4.5	TamHL500T45550450
	Drifting,Production drilling				
	R32	460	38	3.9	TamHL500SR32460380
	R32	460	45	4.9	TamHL500SR32460450
	R38	460	38	4.2	TamHL500SR38460380
	T38	460	38	4.2	TamHL500ST38460380
	Drifting				
	R38	500	45	5.3	TamHL560SR38500450
	T38	500	45	5.3	TamHL560ST38500450
	SR38	500	45	5.4	TamHL560SR38500450
Sandvik/Tamrock HL1500 	Production drilling				
	ST58	635	80	18.1	Tam1500ST58635800
	ST68	635	80	18.3	Tam1500ST68635800

SINODRILLS®
GUIZHOU SINODRILLS EQUIPMENT CO.,LTD.

shank adapter

Ingersoll Rand	Thred	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Ingersoll Rand YH65/70	Bench drilling				
	T38 T45	700 700	45 45	5.2 5.5	IRYH65T38700450 IRYH65T38700450
Ingersoll Rand YH95/YH100	Bench drilling				
	T51	625	51	8.2	IRYH95T51625510
Ingersoll Rand VL120/VL140	Drifting				
	R32 R38 T38 T45	381 381 381 381	44.3 44.3 44.3 44.3	3.4 3.6 3.7 3.9	IRYL120R32381443 IRYL120R38381443 IRYL120T38381443 IRYL120T45381443
	Drifting				
	T38	446	44.3	4.0	IRYL120T38446443
Ingersoll Rand EVL130/VL140	Bench drilling				
	T38 T45	350 350	44.2 44.2	3.9 4.2	IRVL140T38350442 IRVL140T45350442
Ingersoll Rand YH45/YH50/YH55	Bench drilling				
	T38	440	38	3.8	IRYH55T38440380
Montabert and SIG	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Montabert and SIG HC80/HC120	Bench drilling				
	T45 T45	490 590	45 45	5.6 6.4	MonHC80T45490450 MonHC80T45590450
Montabert and SIG HC80R/HC120R/HC150R	Bench drilling				
	T45 T51	770 770	51 51	10.2 10.3	MonHC80RT45770510 MonHC80RT51770510

SINODRILLS®
GUIZHOU SINODRILLS EQUIPMENT CO.,LTD.

shank adapter

Boart Long year	Thread	Length (mm)	Diameter (mm)	Weight (kg)	Part NO.
Boart HD155 	R32	580	54.6	8.6	BLHD155R32580546
Furukawa	**Thread**	**Length (mm)**	**Diameter (mm)**	**Weight (kg)**	**Part NO.**
Furukawa HD90	Drifting				
	R38	515	40	4..3	FuHD90R38515400
Furukawa HD300 	Drifting				
	T38 T45	654 654	44.7 44.7	6.0 6.7	FurHD300T38654447 FurHD300T45654447
Furukawa HD612 	Bench drilling				
	T45	715	50.8	8.9	FurHD612T45715508
Furukawa HD609 	Bench drilling				
	T38 T45	690 620	44.7 44.7	6.3 6.4	FurHD609T38690447 FurHD609T45620447
Furukawa HD615 	Bench drilling				
	T45 T51	700 700	57.8 57.8	11.5 11.7	FurHD615T45700578 FurHD615T51700578

shank adapter

Part number explanation:













Note:

1,This catalogue only shows some typical items weare supplying, many other items are available upon request.

2,This catalogue is only for reference usage, Sinodrills reserves the right to make changes at any time without prior notice.